5 d n	W Lecture 2	x + ~	- o ×
$\leftarrow \   \rightarrow$	C ŵ	A https://fuinstructure.com/courses/76952/assignments/913549?module_item_jd=2934126	
FIII	≡ Ir	ntermediate Analysis of Mechanical Systems > Assignments > Lecture 2	
	_	÷ X	
	1208 - Fal		
Account	Home		
Co Dashboard	Syllabu	y = y + (+ (x y)) dx = y = y (x)	
	Module	Ji+1 - 00 J. 1 (1) JL) 00 00	
Courses	People	~~	
Calendar	Google	-    (x=0) - 1	
	Discuss	Ja - Jan ) - 1	
G	Grades		
Commons	Assign	$V = 1 - X + X^2$	
?	Pages	01-1-1-2	
пер	Files		
	Confere	$4 - 1 - x + x^{2} - x^{3}$	
	Outcom	12 - 1 - 1 - 1/6	
	Collabo		
	Rubrics		
	Materia	X +Y	
	New An		
	Office 3		
	Quiz Ex		
	Setting		
⊬			
<b>0</b>	Type here to	search 👃 🛱 🤮 🔚 🔯 🕫 👔 👔	⑦ x <sup>R</sup> ∧ 및 40) <sup>3:38 PM</sup> □ 7/28/2020 □

This example shows application of Picard's method twice. Note error is always in the last term.

n Layout no Orientation Sar Columner Di Line Number - El Lefe d' La Bedre Opt : Portion Mage Bray Sod Saturda Resource Academic - Restart Saturda - Restart - Resta y'+y=x w/ y=1@ x=0 $y_{h}: y'+y=0 \quad y=Ce^{sx}=Ce^{-x}$   $Cse^{sx}+Ce^{sx}=C(s+i)e^{sx}=0 \implies s=-1$ Yp: y+y=x 1 0 words [] O Type here to search Ū. w ×Ξ  $\bigcirc$ 

🖻 🐵 🕫 Lecture 2 × + - ø × 🖸 🏠 https://fu.instructure.com/courses/76952/assignments/913549?module\_item\_id=2934126  $\leftarrow \rightarrow$ FIU Intermediate Analysis of Mechanical Systems > Assignments > Lecture 2 Account 1208 -Home රැධ Dashboa Anno Syllat y' + y = x w' = 1 @ x = 0  $y_{h}: y' + y = 0$   $y = Ce^{-x} = Ce^{-x}$   $Cse^{sx} + Ce^{sx} = C(s+i)e^{sx} = 0 = >s = -1$   $y_{p}: y' + y = x$  y = Dx + E y' = DCourse Modu Peop Calenda Goog (E) Inbox Discu Grad e Assig Quiz Pages Files Confe Outo Colla Rubr New Office Quiz 0 Study 4)) 🔲 (10 II (30 Type here to search 4 へ口の w ×I  $\bigcirc$ 🕾 🖅 Lecture 2 X + ٥ ×  $\leftarrow \rightarrow$ Ů ŵ A https://fiu.instructure.com nts/913549?module\_item\_id=2934126 FIU Intermediate Analysis of Mechanical Systems > Assignments > Lecture 2 Account 1208 -Home ری) Dashboa Anno  $D + Dx + E = X = 1 \cdot x' + 0 \cdot x^{\circ}$   $x^{\circ}: D + E = 0 \Rightarrow E = -1$   $x': D = 1^{\circ}$ Syllab Course Modu Calenda Peop Goog (E) Inbox Discu Grade e Assig Quizz ? Help Pages Files Confe Outo Colla Rubri -Purc New Offic Quiz E Study 0 ... (()) K Type here to search x<sup>A</sup> ^ 臣 40) <sup>3:47 PM</sup> □ Ū. w  $\bigcirc$ 

The screen shows the solution of the differential equation by finding the solution to the homogeneous part first.

1 d FTU	Lecture 2	x + v			o >	<
$\leftarrow \rightarrow$	۵ C	A https://fuinstructure.com/courses/76952/assignments/913549?module_item_id=2934126	☆	1≘ 1	. Ŀ	
FIU	≡ Ir	Intermediate Analysis of Mechanical Systems > Assignments > Lecture 2 -				
Account	1208-Fal					
Dashboard	Annour					
Courses	Module	$D_{+}F = 0 \Rightarrow E = -1$				
Calendar	People Google Discuss	X: Dict = 1				
Inbox Commons	Grades Assignr	$n \rightarrow \infty$				
(?) Help	Quizzes Pages Files	$y_{TOT} = y_n + y_p = (e + (x - 1))$				
	Confere	$@ x=0 \Rightarrow C \cdot 1 + (0 - 1) = y = 1$				
	Rubrics					
	Materia New Ar	$\Rightarrow \underline{C=2}$				
	Office 3 Quiz Ex					
	StudyM Setting	013.07 16123				
⊬						
<b>6</b> 0	Type here to	to search 👃 🕂 🔁 📻 🔯 🕅 😰 📂	<sup>२</sup> ^ ष्	⊇ 40) <sup>3</sup> 7/	19 PM 18/2020	

You now can get the full solution before the initial condition and by applying the IC, you find the full solution



Comparing the results to iterates of Picard's method leads to the fact that the error is always in the last term